

C.) AMENDMENTS TO THE CLAIMS

This listing of the claims will replace all prior versions, and listings of claims in the Application.

1. (currently amended) An improved ceramic matrix composite laminate comprising:
 - a plurality of preform lamina, each of the preform lamina being formed of directional continuous ceramic fiber in a ceramic matrix;
 - an infiltrated nonwoven mat including a plurality of chopped ceramic fibers in a ceramic matrix, the nonwoven mat being interposed between adjacent preformed continuous fiber lamina of the plurality of preform lamina to form an interface between the continuous fiber lamina which reduces voids and prevents a continuous, stratified matrix rich layer between adjacent continuous fiber preform lamina; and
 - wherein the ceramic matrix of the ~~perform~~ preform lamina and of the layer of nonwoven mat has been infiltrated into the preform lamina and the layer of nonwoven ~~woven~~ mat, the infiltrated nonwoven mat ~~being~~ formed by ~~having a ceramic material fill~~ filling the void spaces of a dry, porous nonwoven mat ~~perform with a ceramic material~~, the ceramic material filling the void spaces being substantially free of voids, the adjacent preformed continuous fiber lamina having the infiltrated nonwoven mat interposed between being ~~and~~ substantially free of a continuous, stratified matrix rich layer between adjacent infiltrated preformed continuous fiber ~~perform~~ lamina.
2. (previously presented) The ceramic matrix composite laminate of claim 1 wherein the nonwoven chopped fiber mat prior to being interposed between adjacent continuous fiber preform lamina of the at least two preform lamina is from about 0.001 inches to about 0.25 inches thick.
3. (previously presented) The ceramic matrix composite laminate of claim 2 wherein the nonwoven chopped fiber mat after being interposed between adjacent continuous fiber

preform lamina of the at least two preform lamina is from about 0.001 inches to about 0.002 inches thick.

4. (previously presented) The ceramic matrix composite laminate of claim 1 wherein the nonwoven mat is comprised of randomly oriented chopped fibers.
5. (previously presented) The ceramic matrix composite laminate of claim 1 wherein the chopped fibers are less than about one inch in length.
6. (previously presented) The ceramic matrix composite laminate of claim 1 wherein the chopped fibers are ceramic fibers.
7. (previously presented) The ceramic matrix composite laminate of claim 1 wherein the chopped fibers are a plurality of ceramic fiber compositions.
8. (previously presented) The ceramic matrix composite laminate of claim 1 wherein the nonwoven mat being interposed between adjacent preform lamina of the plurality of preform lamina reduces the number of inter-laminar voids.
9. (previously presented) The ceramic matrix composite laminate of claim 1 wherein the nonwoven mat being interposed between adjacent preform lamina of the plurality of preform lamina reduces the size of inter-laminar voids.
10. (previously presented) The ceramic matrix composite laminate of claim 1 wherein the nonwoven mat being interposed between adjacent preform lamina of the plurality of preform lamina reduces the volume fraction of inter-laminar voids.
11. (previously presented) The ceramic matrix composite laminate of claim 1 wherein the nonwoven mat being interposed between adjacent preform lamina of the plurality of preform lamina uniformly distributes the inter-laminar voids.
12. (previously presented) The ceramic matrix composite laminate of claim 1 wherein porosity of the nonwoven mat is from about 50 percent to about 90 percent.
13. (previously presented) The ceramic matrix composite laminate of claim 1 wherein porosity of the nonwoven mat is from about 80 percent to about 90 percent.

14. (previously presented) The ceramic matrix composite laminate of claim 1 wherein the chopped ceramic fibers are from about 0.0004 inches to about 0.0008 inches in diameter.
15. (previously presented) The ceramic matrix composite laminate of claim 1 wherein the chopped ceramic fibers are comprised of SiC.
16. (previously presented) The ceramic matrix composite laminate of claim 1 wherein the ceramic matrix is comprised of SiC.
17. (previously presented) The ceramic matrix composite laminate of claim 1 wherein the nonwoven mat is comprised of different ceramic fiber materials.
18. (previously presented) The ceramic matrix composite laminate of claim 1 wherein the nonwoven mat is comprised of a different material than the plurality of continuous fiber preform lamina.
19. (previously presented) The ceramic matrix composite laminate of claim 1 wherein a plurality of layers of the nonwoven mat is interposed between at least one adjacent continuous fiber preform lamina of the plurality of continuous fiber preform lamina.
20. (previously presented) The ceramic matrix composite laminate of claim 19 wherein at least one layer of the plurality of layers of the nonwoven mat is comprised of a different material than the remaining layers of the plurality of layers of the nonwoven mat.
- 21.-27. (canceled)
28. (currently amended) An improved ceramic matrix composite laminate comprising:
 - a plurality of preform lamina, each of the preform lamina being formed of directional continuous ceramic fiber in a ceramic matrix;
 - an infiltrated nonwoven mat including a plurality of randomly oriented chopped ceramic fibers in a ceramic matrix, the infiltrated nonwoven mat being compressively interposed between adjacent preformed continuous fiber lamina of the plurality of preform lamina, wherein the layer is formed from a dry, nonwoven mat perform, the nonwoven mat forming an interface between the continuous fiber lamina; and

wherein a matrix of compatible ceramic material has been infiltrated into the preform lamina and the nonwoven mat to form the ceramic matrix composite laminate, the infiltrated nonwoven mat having ceramic material filling the void spaces of a dry, porous nonwoven mat ~~perform~~ preform, the ceramic material filling the void spaces being substantially free of voids and substantially free of continuous, stratified matrix rich layer between adjacent continuous fiber perform lamina.

29. (previously presented) The ceramic matrix composite laminate of claim 27 wherein the chopped fibers are less than about one inch in length.
30. (previously presented) The ceramic matrix composite laminate of claim 27 wherein the chopped fibers are ceramic fibers.
31. (previously presented) The ceramic matrix composite laminate of claim 27 wherein the chopped fibers are a plurality of ceramic fiber compositions.